Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	4	"6501528".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/22 17:42
L2	4	"6501528".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/22 18:00
L3	38268	(touch adj pad or key adj pad)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/22 18:00
L4	507	L3 and (first adj layer or resistive adj layer)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/22 18:01
L5	691	L3 and (first adj2 layer or resistive adj layer)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/22 18:00
L6	689	L3 and (second adj2 (layer or resistive adj layer))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/22 18:00
L7	515	L5 and L6	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/22 18:00
L8	955	L3 and (first adj2 layer or resistive adj layer or conductive adj layer)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/22 18:00

7/22/07 6:34:20 PM

Page 1

C:\Documents and Settings\rosorio\My Documents\EAST\Workspaces\touch pad with dielectric support layer for both first and second layer

EAST Search History

L9	694	L3 and (second adj2 (layer or resistive adj layer or conductive adj layer))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/22 18:00
L10	526	L8 and L9	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/22 18:00
L11	1	L10 and bend$4 near3 (dielectric adj support adj layer or first adj layer or second adj layer)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/22 18:00
L12	1	L10 and bend$4 near3 (dielectric adj2 layer or first adj layer or second adj layer)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/22 18:00
L13	16	L10 and (bend$4 or bent or curv$4 or deflect$4 or fold$4) near3 (dielectric adj2 layer or first adj layer or second adj layer or layer)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/22 18:00
L14	29	L10 and (bend$4 or bent or curv$4 or deflect$4 or fold$4) near3 (dielectric adj2 layer or first adj layer or second adj layer or layer or sheet)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/22 18:00
L15	0	L13 not L14	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/22 18:00
L16	13	L14 not L13	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/22 18:00

7/22/07 6:34:20 PM
C:\Documents and Settings\rosorio\My Documents\EAST\Workspaces\touch pad with dielectric support layer for both first and second layer

Page 2

L19	29	L10 and (bend$4 or bent or curv$4 or deflect$4 or fold$4) near3 (dielectric adj2 layer or first adj layer or second adj layer or layer or sheet)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/22 18:18
L20	16	ostergard and toni	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/22 18:18
L21	1	20 and first adj layer	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/22 18:22
L22	1	20 and dielectric	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/22 18:22
L23	1	20 and bent	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/22 18:22
L24	2	20 and bend$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/22 18:23
L29	1	(electromechanical adj input and first adj layer and second adj layer and dielectric adj support adj layer and bent adj back).clm.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/22 18:32

7/22/07 6:34:20 PM

Page 3

C:\Documents and Settings\rosorio\My Documents\EAST\Workspaces\touch pad with dielectric support layer for both first and second layer

EAST Search History

L30	1	(electromechanical and flexible adj printed adj circuit adj board and first adj layer and second adj layer and bent adj around and input adj signal and imaginary adj axis).clm.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/22 18:33